

Abrasive Products

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Date of Issue: 10/18/2022

Version: 1.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: Abrasive Products

Synonyms: AO, MX, MXD, Regular

1.2. Intended Use of the Product

Polishing various substrates i.e.: metals, wood, polycarbonates

1.3. Name, Address, and Telephone of the Responsible Party

Company

Micro-Surface Finishing Products, Inc.

1217 W 3rd St

PO Box 70

Wilton IA 52778

563.732.3240

www.micro-surface.com

1.4. Emergency Telephone Number

Emergency Number : 563.732.3240

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

GHS-US/CA Classification

Not classified

2.2. Label Elements

GHS-US/CA Labeling

No labeling applicable according to 29 CFR 1910.1200 and the Hazardous Products Regulations (HPR) SOR/2015-17.

Supplemental Information : This product is defined as an "article" under 29CFR 1910.1200 (c), and is therefore exempt from classification and labeling regulation under the US OSHA Hazard Communication Standard and the Canadian Hazardous Product Regulations. This product is physiologically inert in its, current, massive form. However, user-generated dust and/or fumes may pose a physiological hazard if inhaled or ingested. The data presented in the SDS and product instructions is intended to guide the user in the safe handling and use of the product. See the product instructions for proper usage instructions and precautions. Read the product instructions for use before handling.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US/CA)

No additional information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Synonyms	Product Identifier	% *	GHS Ingredient Classification
Adhesive	None Disclosed	(CAS-No.) None Disclosed	30-60	Not classified
Aluminum oxide (Al ₂ O ₃)	Aluminum oxide / .alpha.-Alumina / Alumina / Aluminium oxide / Aluminium oxide (Al ₂ O ₃) / .alpha.-Aluminum oxide / Dialuminum trioxide / Dialuminium trioxide / ALUMINA / Alundum	(CAS-No.) 1344-28-1	30-60	Not classified
Diamond	DIAMOND POWDER / diamond	(CAS-No.) 7782-40-3	30-60	Not classified
Silicon carbide	Silicon carbide (SiC) / Silicon carbide, fibrous / Silicon carbide whiskers / Silicon carbide, non-fibrous / SILICON CARBIDE / silicon carbide / Silicon carbide fibres (with diameter <3 µm, length >5 µm and aspect ratio ≥3:1) / Silicon carbide fibres	(CAS-No.) 409-21-2	30-60	Carc. 1, H350 STOT RE 1, H372

Abrasive Products

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Styrene-butadiene copolymer	Benzene, ethenyl-, polymer with 1,3-butadiene / Butadiene-styrene copolymer / 1,3-Butadiene-styrene copolymer / Butadiene-styrene polymer / 1,3-Butadiene-styrene polymer / Butadiene-styrene resin / Butadiene-styrene rubber / Styrene-1,3-butadiene copolymer / STYRENE/BUTADIENE COPOLYMER / Styrene-butadiene polymer / Styrene/butadiene copolymers / Polymer of styrene and 1,3-butadiene / Styrene-butadiene rubber / 1,3 Butadiene/styrene copolymers / Styrene homopolymer and 1,3-butadiene homopolymer, block copolymer / Polymer of buta-1,3-diene/styrene / Polymer mainly composed of styrene/butadiene	(CAS-No.) 9003-55-8	10-30	Comb. Dust
Polyester/ Cotton fabric	None disclosed	(CAS-No.) None disclosed	1-5	Not classified
2-Hydroxy-4-n-octoxybenzophenone	Benzophenone, 2-hydroxy-4-(octyloxy)- / Methanone, [2-hydroxy-4-(octyloxy)phenyl]phenyl- / Octabenzone / Benzophenone-12 / 2-Hydroxy-4-(octyloxy)benzophenone / 2-Hydroxy-4-n-octyloxybenzophenone / BENZOPHENONE-12 / Methanone, [2-hydroxy-4-(octyloxy)phenyl]phenyl- / 2-Hydroxy-4-(octyloxy) benzophenone / octabenzone	(CAS-No.) 1843-05-6	< 1	Not classified
2-Propenoic acid, 2-methyl-, polymer with ethyl 2-propenoate	Ethyl acrylate, polymer with methacrylic acid / Methacrylic acid, polymer with ethyl acrylate / Polymer, ethyl acrylate and methacrylic acid / Ethyl acrylate-methacrylic acid copolymer / Acrylic acid, 2-methyl-, polymer with ethyl 2-propenoate / Methacrylic acid-ethyl acrylate polymer / Methacrylic acid-ethyl acrylate copolymer / Polymer of [2-methyl-2-propenoic acid] and [ethyl 2-propenoate]	(CAS-No.) 25212-88-8	< 1	Acute Tox. 4 (Inhalation:dust, mist), H332

Full text of H-statements: see section 16

* The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2015-17 and 29 CFR 1910.1200. Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%). Full text of H-statements: see section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: In the event of dust exposure: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Wash with plenty of soap and water. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

General: Not expected to present a significant hazard under anticipated conditions of normal use.

Inhalation: Sanding and grinding dusts may be harmful if inhaled and irritating to the respiratory system.

Skin Contact: Direct contact may cause irritation by mechanical abrasion.

Eye Contact: Eye contact with dust may cause mechanical irritation.

Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use. Prolonged inhalation of dust or fumes from this product may cause siderosis, a benign lung disease.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

Abrasive Products

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Oxides of silicon, chromium and carbon.

5.4. Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid prolonged contact with eyes, skin and clothing. Avoid breathing dust.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Recover the product by vacuuming, shoveling or sweeping. Use explosion proof vacuum during cleanup, with appropriate filter. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: Carbon/graphite dust is electrically conductive and dust accumulations on electrical equipment can cause short circuits resulting in electrical shock, fire or damage to equipment. Graphite dust may create slippery conditions. . Keep dust levels to a minimum and follow applicable regulations.

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing dust.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations. Avoid creating or spreading dust. Do not dry clean dust covered objects and floors. Use water plus a cleaning agent for cleanup.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(s)

Polishing various substrates i.e.: metals, wood, polycarbonates

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

Aluminum oxide (Al ₂ O ₃) (1344-28-1)		
USA ACGIH	ACGIH OEL TWA	10 mg/m ³
USA OSHA	OSHA PEL (TWA) [1]	15 mg/m ³ (total dust)
		5 mg/m ³ (respirable fraction)

Abrasive Products

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Alberta	OEL TWA	10 mg/m ³
New Brunswick	OEL TWA	10 mg/m ³ (particulate matter containing no Asbestos and <1% Crystalline silica)
Nunavut	OEL STEL	20 mg/m ³
Nunavut	OEL TWA	10 mg/m ³
Northwest Territories	OEL STEL	20 mg/m ³
Northwest Territories	OEL TWA	10 mg/m ³
Québec	VEMP (OEL TWA)	10 mg/m ³ (containing no Asbestos and <1% Crystalline silica-total dust)
Saskatchewan	OEL STEL	20 mg/m ³
Saskatchewan	OEL TWA	10 mg/m ³
Yukon	OEL STEL	20 mg/m ³ (Al ₂ O ₃)
Yukon	OEL TWA	30 mppcf (Al ₂ O ₃) 10 mg/m ³ (Al ₂ O ₃)
Silicon carbide (409-21-2)		
USA ACGIH	ACGIH OEL TWA	10 mg/m ³ (nonfibrous, inhalable particulate matter, particulate matter containing no asbestos and <1% crystalline silica) 3 mg/m ³ (nonfibrous, respirable particulate matter, particulate matter containing no asbestos and <1% crystalline silica) 0.1 fibers/cm ³ (as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illumination.- respirable fibers, including whiskers, length >5 µm, aspect ratio >=3:1)
USA ACGIH	ACGIH chemical category	Suspected Human Carcinogen fibrous, including whiskers
USA OSHA	OSHA PEL (TWA) [1]	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
USA NIOSH	NIOSH REL (TWA)	10 mg/m ³ (total dust) 5 mg/m ³ (respirable dust)
Alberta	OEL TWA	10 mg/m ³ (nonfibrous-total particulate) 3 mg/m ³ (nonfibrous-respirable particulate) 0.1 fibers/cm ³ (fibrous, including whiskers)
British Columbia	OEL TWA	10 mg/m ³ (nonfibrous-inhalable) 3 mg/m ³ (nonfibrous-respirable) 0.1 fibers/cm ³ (fibrous, including whiskers)
Manitoba	OEL TWA	10 mg/m ³ (particulate matter containing no Asbestos and <1% Crystalline silica-nonfibrous, inhalable particulate matter, particulate matter) 3 mg/m ³ (particulate matter containing no Asbestos and <1% Crystalline silica-nonfibrous, respirable particulate matter, particulate matter) 0.1 fibers/cm ³ (respirable fibers, including whiskers, with length >5 µm, aspect ratio >=3:1 as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illumination.- respirable fibers)
New Brunswick	OEL TWA	10 mg/m ³ (particulate matter containing no Asbestos and <1% Crystalline silica)
Newfoundland & Labrador	OEL TWA	10 mg/m ³ (particulate matter containing no Asbestos and <1% Crystalline silica-nonfibrous, inhalable particulate matter, particulate matter) 3 mg/m ³ (particulate matter containing no Asbestos and <1% Crystalline silica-nonfibrous, respirable particulate matter, particulate matter) 0.1 fibers/cm ³ (respirable fibers, including whiskers, with length >5 µm, aspect ratio >=3:1 as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illumination.- respirable fibers)
Nova Scotia	OEL TWA	10 mg/m ³ (particulate matter containing no Asbestos and <1% Crystalline silica-nonfibrous, inhalable particulate matter, particulate matter)

Abrasive Products

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

		3 mg/m ³ (particulate matter containing no Asbestos and <1% Crystalline silica-nonfibrous, respirable particulate matter, particulate matter) 0.1 fibers/cm ³ (respirable fibers, including whiskers, with length >5 µm, aspect ratio ≥3:1 as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illumination.-respirable fibers)
Nunavut	OEL STEL	20 mg/m ³ (non-fibrous-inhalable fraction) 6 mg/m ³ (non-fibrous-respirable fraction)
Nunavut	OEL TWA	10 mg/m ³ (non-fibrous-inhalable fraction) 3 mg/m ³ (non-fibrous-respirable fraction) 0.1 fibers/cm ³ (fibrous, including whiskers-respirable fibres)
Northwest Territories	OEL STEL	20 mg/m ³ (non-fibrous-inhalable fraction) 6 mg/m ³ (non-fibrous-respirable fraction)
Northwest Territories	OEL TWA	10 mg/m ³ (non-fibrous-inhalable fraction) 3 mg/m ³ (non-fibrous-respirable fraction) 0.1 fibers/cm ³ (fibrous, including whiskers-respirable fibres)
Ontario	OEL TWA	10 mg/m ³ (non-fibrous, particulate matter containing no Asbestos and <1% Crystalline silica-inhalable fraction) 3 mg/m ³ (non-fibrous, particulate matter containing no Asbestos and <1% Crystalline silica-respirable fraction) 0.1 fibers/cm ³ (fibrous, including whiskers, fibres >5 µm in length and an aspect ratio ≥3:1 as determined by the membrane filter method at 400-450 times magnification (4-mm objective), using phase-contrast illumination-respirable fraction)
Prince Edward Island	OEL TWA	10 mg/m ³ (particulate matter containing no Asbestos and <1% Crystalline silica-nonfibrous, inhalable particulate matter, particulate matter) 3 mg/m ³ (particulate matter containing no Asbestos and <1% Crystalline silica-nonfibrous, respirable particulate matter, particulate matter) 0.1 fibers/cm ³ (respirable fibers, including whiskers, with length >5 µm, aspect ratio ≥3:1 as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illumination.-respirable fibers)
Québec	VEMP (OEL TWA)	10 mg/m ³ (non fibrous, containing no Asbestos and <1% Crystalline silica-total dust) 3 mg/m ³ (non fibrous, containing no Asbestos and <1% Crystalline silica-respirable dust)
Saskatchewan	OEL STEL	20 mg/m ³ (nonfibrous, inhalable fraction) 6 mg/m ³ (nonfibrous, respirable fraction)
Saskatchewan	OEL TWA	0.1 fibers/cm ³ (including whiskers-fibrous, respirable fibres) 10 mg/m ³ (nonfibrous, inhalable fraction) 3 mg/m ³ (nonfibrous, respirable fraction)
Yukon	OEL STEL	20 mg/m ³
Yukon	OEL TWA	30 mppcf 10 mg/m ³

8.2. Exposure Controls

Appropriate Engineering Controls: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: Gloves. Protective clothing. Protective goggles. Face shield.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Abrasive Products

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Hand Protection: Wear protective gloves.

Eye and Face Protection: Chemical safety goggles and face shield during use.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State	: Solid
Appearance	: Nitrile rubber / Plastic
Odor	: No odors that outgas from this product contain Hazardous Air Pollutants (HAPs)
Odor Threshold	: No data available
pH	: No data available
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability	: No data available
Lower Flammable Limit	: No data available
Upper Flammable Limit	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20°C	: No data available
Relative Density	: No data available
Specific Gravity	: No data available
Solubility	: Non-soluble in water.
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: No data available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity:

Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability:

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions:

Hazardous polymerization will not occur.

10.4. Conditions to Avoid:

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials:

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products:

Hazardous decomposition products: Oxides of carbon, chromium and silicon on combustion.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified

Acute Toxicity (Dermal): Not classified

Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data:

No additional information available

Skin Corrosion/Irritation: Not classified

Eye Damage/Irritation: Not classified

Abrasive Products

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Sanding and grinding dusts may be harmful if inhaled and irritating to the respiratory system.

Symptoms/Injuries After Skin Contact: Direct contact may cause irritation by mechanical abrasion.

Symptoms/Injuries After Eye Contact: Eye contact with dust may cause mechanical irritation.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use, Prolonged inhalation of dust or fumes from this product may cause siderosis, a benign lung disease.

Potential Adverse human health effects and symptoms: Based on available data, the classification criteria are not met.

11.2. Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Aluminum oxide (Al₂O₃) (1344-28-1)	
LD50 Oral Rat	> 15900 mg/kg
Diamond (7782-40-3)	
LD50 Dermal Rat	> 2000 mg/kg
LC50 Inhalation Rat	> 5.2 mg/l (Exposure time: 241 min)
2-Hydroxy-4-n-octoxybenzophenone (1843-05-6)	
LD50 Oral Rat	> 10000 mg/kg
LD50 Dermal Rabbit	> 10 g/kg
2-Propenoic acid, 2-methyl-, polymer with ethyl 2-propenoate (25212-88-8)	
LC50 Inhalation Rat	1.03 mg/l/4h
ATE US/CA (dust, mist)	1.50 mg/l/4h
Styrene-butadiene copolymer (9003-55-8)	
IARC Group	3
Silicon carbide (409-21-2)	
IARC Group	2A (respirable)
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General: Not classified.

Aluminum oxide (Al₂O₃) (1344-28-1)	
LC50 Fish 1	> 100 mg/l
EC50 - Crustacea [1]	> 100 mg/l
ErC50 algae	> 100 mg/l
NOEC (Acute)	> 50 mg/l
Diamond (7782-40-3)	
LC50 Fish 1	> 100 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
2-Hydroxy-4-n-octoxybenzophenone (1843-05-6)	
LC50 Fish 1	> 100 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)

12.2. Persistence and Degradability

Abrasive Products	
Persistence and Degradability	Not established.

12.3. Bioaccumulative Potential

Abrasive Products	
Bioaccumulative Potential	Not established.

Abrasive Products

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

2-Hydroxy-4-n-octoxybenzophenone (1843-05-6)

BCF Fish 1 89 – 190

Partition coefficient n-octanol/water (Log Pow) > 6

12.4. Mobility in Soil

Abrasive Products

Ecology - Soil No data available.

12.5. Other Adverse Effects

Other Adverse Effects: None known.

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Treatment Methods: Can be landfilled or incinerated, when in compliance with local regulations.

Sewage Disposal Recommendations: Do not dispose of waste into sewer.

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Additional Information: Incineration is the preferred method for disposal of waste product.

Ecology - Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Not regulated for transport

14.2. In Accordance with IMDG

Not regulated for transport

14.3. In Accordance with IATA

Not regulated for transport

14.4. In Accordance with TDG

Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

Styrene-butadiene copolymer (9003-55-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

EPA TSCA Regulatory Flag

XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

Aluminum oxide (Al₂O₃) (1344-28-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Subject to reporting requirements of United States SARA Section 313

SARA Section 313 - Emission Reporting

1 % (fibrous forms)

Diamond (7782-40-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Silicon carbide (409-21-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

2-Hydroxy-4-n-octoxybenzophenone (1843-05-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

2-Propenoic acid, 2-methyl-, polymer with ethyl 2-propenoate (25212-88-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

EPA TSCA Regulatory Flag

XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

Abrasive Products

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

15.2. US State Regulations

Aluminum oxide (Al₂O₃) (1344-28-1)

U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Massachusetts - Right To Know List
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

Silicon carbide (409-21-2)

U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Massachusetts - Right To Know List

15.3. Canadian Regulations

Styrene-butadiene copolymer (9003-55-8)

Listed on the Canadian DSL (Domestic Substances List)

Aluminum oxide (Al₂O₃) (1344-28-1)

Listed on the Canadian DSL (Domestic Substances List)

Diamond (7782-40-3)

Listed on the Canadian DSL (Domestic Substances List)

Silicon carbide (409-21-2)

Listed on the Canadian DSL (Domestic Substances List)

2-Hydroxy-4-n-octoxybenzophenone (1843-05-6)

Listed on the Canadian DSL (Domestic Substances List)

2-Propenoic acid, 2-methyl-, polymer with ethyl 2-propenoate (25212-88-8)

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 10/18/2022

Revision

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

GHS Full Text Phrases:

H332	Harmful if inhaled
H350	May cause cancer.
H372	Causes damage to organs through prolonged or repeated exposure

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS 2015 (Can, US)